

Central Line Form: Medical chart insert, printed on self adhesive paper.

SAMPLE
NOT FOR REPRODUCTION

Central Line Care

Name: _____ Date: _____

- Mediport _____ huber needle
 - Other: _____
 - Urokinase 5,000 IU per Standard Protocol
 - Blood drawn for:
 - Per Dr. _____'s order
- Blood Return: _____
 Good Sluggish Poor None
- Site Care and Central Line flushed per protocol.
 Dressing Change
- NOTES: _____
- RTO: _____

Injection Documentation: Medical chart insert, printed on self adhesive paper.

Injection Documentation

Patient: _____ Acct. No.: _____ Date/Time: _____ / _____ a.m.
p.m.

Injection: _____ * _____ * _____
Drug & Dose Route & Location RTO

Vital Signs _____

RN: _____ Per Dr. _____'s order

Additional Nursing Evaluation: _____

SAMPLE
NOT FOR
REPRODUCTION

Phone Documentation: Medical chart insert, printed on self adhesive paper.

Associates in Oncology / Hematology, PC

PHONE CONTACT RECORD

Patient's Name (Last, First)

Account #

Today's Date

RN

MD

Caller (Name / From)

Caller's Phone #
() ()

Problem

Intervention

Follow Up:

MD Initials

PHONE2:10/2/2000

SAMPLE
NOT FOR
REPRODUCTION

Iron

Common Uses

For iron deficiency.

What does it look like?

Dark brown fluid for injection or infusion.

Common Side Effects

Possibility of allergic reaction during infusion. A test dose is given first. If no reaction to test dose infusion will begin. If given by injection a bruise may occur at the site.

Other Side Effects

Headaches, chills, fever, headache, fatigue, dizziness, nausea, backache, abdominal pain

SAMPLE
NOT FOR
REPRODUCTION